


```

publication</subfield>
      <subfield code="b">Publisher</subfield>
      <subfield code="c">Date of
publication</subfield>
</datafield>
<!-- Physical Description -->
<datafield tag="300" ind1=" " ind2=" ">
  <subfield code="a">423 p.</subfield>
</datafield>
<!-- General Note -->
<datafield tag="500" ind1=" " ind2=" ">
  <subfield code="a">additional information not
found elsewhere</subfield>

</datafield>
<!-- Restrictions on access note -->
<datafield tag="506" ind1=" " ind2="0">
  <subfield code="a">Open access</subfield>
</datafield>
<!-- Abstract, Summary etc -->
<datafield tag="520" ind1="3" ind2=" ">
  <subfield code="a">Abstract</subfield>
</datafield>
<!-- Copyright note. -->
<datafield tag="540" ind1=" " ind2=" ">
  <subfield code="a">Copyright clearance policy -
12/12/2005.</subfield>

</datafield>
<!-- RFLD Subject ind2=7 for source specified in
subfield $2 (e.g. RFLD) -->

  <datafield tag="650" ind1=" " ind2="7">
    <subfield code="a">380199 Psychology not
elsewhere classified</subfield>

  <subfield code="2">RFLD</subfield>
</datafield>
<!-- Subject-Topical -->
<datafield tag="650" ind1=" " ind2="0">
  <subfield code="a">Ear</subfield>
  <subfield code="x">Diseases</subfield>
  <subfield code="2">LCSH</subfield>
</datafield>
<!-- Keywords Use one keyword or keyword phrase for
each subfield a -->

  <datafield tag="653" ind1=" " ind2=" ">
    <subfield code="a">cats</subfield>
    <subfield code="a">pig farming</subfield>
  </datafield>
<!-- Resource Type ind2=7 for source specified in
subfield $2 (e.g. local)-->

  <datafield tag="655" ind1=" " ind2="7">
    <subfield code="a">book</subfield>
    <subfield code="2">local</subfield>
  </datafield>
<!-- 2nd author -->

```

```
<datafield tag="700" ind1="1" ind2=" " >
  <subfield code="a">Horsefield, Jay</subfield>
  <subfield code="e">submitter</subfield>
  <subfield code="u">Department of ABC, XYZ
University</subfield>
</datafield>
<!-- Locations URLs; Format subfield q=format -->
<datafield tag="852" ind1=" " ind2=" " >
  <subfield code="u">HANDLE URL TO REPOSITORY
METADATA PAGE</subfield>
</datafield>
<datafield tag="856" ind1="4" ind2="0" >
  <subfield code="u">DOI OR OFFSITE
LINK</subfield>
  <subfield code="q">application/pdf</subfield>
</datafield>
</record>
</collection>
```

MARC book XML file format Right click to save this file to a disk then open in an XML editor.

marc_book_template v.2.1 produced 21 December 2007



5

[Copyright](#) ⁶ 2007 [RUBRIC](#)⁷

- 1 <http://www.openarchives.org/OAI/2.0/guidelines-marxml.htm>
- 2 <http://www.loc.gov/MARC21/slim>
- 3 <http://www.w3.org/2001/XMLSchema-instance>
- 4 <http://www.loc.gov/MARC21/slim>
- 5 <http://creativecommons.org/licenses/by-sa/2.5/au/>
- 6 <http://creativecommons.org/licenses/by-sa/2.5/au/>
- 7 <http://www.rubric.edu.au/>